


33.46 sq ft per box box weight: 50 lbs 6.35 mm 7" wide planks 20 mil wear layer pallet weight: 1,900 lbs

# Tuscan Coast



Top Layer: 20 mil wear layer designed to withstand wear and stains

Design: 12 attractive colors to match any decor

DefenseCore: Water Proof Core with patented construction utilizing the newest technology, which can be installed directly over most existing hard surfaces









## Color Line



# Matching Trim



Orvieto **WPSNTCOV WPTMTCOV WPRDTCOV** 



Capri WPSNTCCR WPTMTCCR WPRDTCCR



Amalfi Coast **WPSNTCAC WPTMTCAC WPRDTCAC** 



Paloma WPSNTCPL WPTMTCPL WPRDTCPL



Milan **WPSNTCML** WPTMTCML **WPRDTCML** 



Verona WPSNTCVR WPTMTCVR **WPRDTCVR** 



Venice **WPSNTCVN** WPTMTCVN **WPRDTCVN** 



Rome **WPSNTCRM WPTMTCRM WPRDTCRM** 



Lucca WPSNTCLC WPTMTCLC WPRDTCLC




Naples WPSNTCNP WPTMTCNP WPRDTCNP




Písa **WPSNTCPS WPTMTCPS** WPRDTCPS




Florence WPSNTCFL WPTMTCFL WPRDTCFL



Staír nose 72" WPSNTC color abbreviation



T-Mold 72" WPTMTC color abbreviation




Reducer 72" WPRDTC color abbreviation

# Display Aesthetics

The display rack has 12 slots housing the 21 (w) x 36 (h) samples. The samples include a large label on the back with a small (2x4) spec label for the front. The handle is on the side. Handboards are also available with 6 colors on each side.


#### Display Samples







Handboard Example



## **DefenseCore Specifications**

Dimensions	7" X 48"		
Thickness	6.35 mm		
Wear Layer	20 mil		
Sq. Ft. / box	33.46		
Box weight	50 lbs		
Commercial Warranty	10 year		
Residential Warranty	Lifetime		
Moisture Warranty	Lifetime		
Structure Warranty	Lifetime		
Construction	Engineered Vinyl Composite		
Installation Method	Glueless Floating		
Finish	UV Cured		
Installation Grade	Above, on and below		
Subfloor Preparations	Minimal		
Edge Profile	4-sided bevel		

## Tuscan Coast

## **Engineered Vinyl Planks**

- Tuscan Coast provides an elegant and durable floor with a responsible ecological footprint suitable for residential and commercial projects
- Easy Installation: Minimal prep work and DefenseCore is designed not to telegraph imperfections in the subfloor
- This patented product boasts a certification from GREENGUARD and contributes to LEED credits

### DefenseCore Construction

Top Layer: 20 mil wear layer designed to withstand wear and stains

Design: 12 attractive colors to match any decor

DefenseCore: Water Proof
Core with patented
construction utilizing the
newest technology, which
can be installed directly
over most existing hard
surfaces

## TEST DATA

ASTM-E648 Critical Radiant Flux: Meets or exceeds, Class 1

ASTM E492-09 Impact Sound Conduction: IIC 62 db

ASTM E90-09 Airborne Sound Conduction: STC 62 db

ASTM C518 Thermal Resistance: R Value – 0.57

NALFA 3.2 Thickness Swell: Class 4, Heavy Commercial

NALFA 3.3 Xenon Light Resistance: Class 4, Heavy Commercial

NALFA 3.4 Cleanability-Stain Resistance: Class 4, Heavy Commercial

NALFA 3.5 Large Ball Impact Resistance: Class 4, Heavy Commercial

NALFA 3.6 Small Ball Impact Resistance: Class 4, Heavy Commercial

NALFA 3.8 Dimensional Tolerance: Class 4, Heavy Commercial

NALFA 3.9 Caster Chair: Class 3, Commercial

NALFA 3.10 Surface Bonding: 1.31 N/mm – Exceeds Class 3 Commercial Requirement

ASTM C 1028-96 Static Coefficient of Friction: 0.68 (slip resistance) Passes ADA/OSHA

standard

ASTM F-970-07 Static Load Limit: 0.004 inch – Passes at 250 psi

ASTM-F2753 Rolling Load Over Resilient FC: 0.024 inch

ASTM F 1514 Color Resistance to Heat: Meets < 8.0 Delta E Requirement

ASTM F 1515 Color Resistance to Light: Meets < 8.0 Delta E Requirement

# FloorSource Advantage


- US based back up inventory of engineered vinyl along with underlayment, solid and engineered hardwoods
- US stock of vinyl trim
- US based territory managers
- US based customer and claims service
- Floor Source will be listed as the importer of record



**Building On A Sound Foundation** 

# Tuscan Coast Engineered Vinyl Planks Order Form

Don't forget The Defender, the official Tuscan Coast underlayment, to complete your order!



- Roll Size: 100 sq ft
- Thickness: 3 mil
- Color: Black
- Width: 48"
- Weight per roll: 10 lbs
- Materials: Neoprene Foam, Film, Tape
- STC 54
- IIC 59
- Moisture barrier
- Resistant to the growth of bacteria, mildew and mold
- Sound control
- Installs over subfloors including cement and plywood

Contact: Ship Date:				
Phone Number:				
PRODUCT NAME	SKU NUMBER	# OF CARTONS	35 BOXES/ PALLET	PRICE
Engineered Vinyl				
Naples	WP 701 NP			
Milan	WP 702 ML			
Rome	WP 703 RM			
Florence	WP 704 FL			
Venice	WP 705 VN			
Capri	WP 706 CR			
Pisa	WP 707 PS			
Paloma	WP 708 PL			
Lucca	WP 709 LC			
Amalfi Coast	WP 710 AC			
Verona	WP 711 VR			
Orvieto	WP 712 OV			
Samples				
Display Rack	TCDISPLAY			
Display Samples	TCDISPLAYBDS			
Handboards	TCHANDBOARD			
Architect Folders	TCARCH			
Underlayment				
Shield 3 -1	ULSHIELD			
Defender	ULDEFEND			
Shipping Informati Address:				